L	Hits	Search Text	DB	Time stamp
Number				
-	1	(DLL or delayed adj1 locked adj1 loop)	USPAT;	2004/09/29
		with constant adj1 current\$1 with bias	US-PGPUB;	08:39
		adj1 generat\$3 with chang\$3 with bias	EPO; JPO;	
		with frequency	DERWENT	
<b>-</b>	2		USPAT;	2004/09/24
		with chang\$3 with bias with frequency	US-PGPUB;	11:46
			EPO; JPO;	
			DERWENT	
-	16	(DLL or delayed adj1 locked adj1 loop)	USPAT;	2004/09/24
		with constant adj1 current\$1	US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT	
-	2	"6618310"	USPAT;	2004/09/24
		:	US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT	
_	2	"11031383"	USPAT;	2004/09/29
			US-PGPUB;	11:25
			EPO; JPO;	
		:	DERWENT	
_	13	(DLL or delayed adj1 locked adj1 loop)	USPAT;	2004/09/24
		and chang\$3 with bias with frequency	US-PGPUB;	11:26
		and changes with sizes with its factory	EPO; JPO;	
			DERWENT	
l _	1	(DLL or delayed adj1 locked adj1 loop or	USPAT;	2004/09/24
	*	PLL or phase adj1 locked adj1 loop) with	US-PGPUB;	11:46
		constant adj1 current\$1 with bias adj1	EPO; JPO;	111.40
		generat\$3 with chang\$3 with bias with	DERWENT	
		frequency	DEKMENT	
	3	• •	USPAT;	2004/09/24
_	3		US-PGPUB;	11:46
•		PLL or phase adjl locked adjl loop) with		11.40
		chang\$3 with bias with frequency with	EPO; JPO;	
ĺ	26	constant with current\$1	DERWENT	2004/00/24
_	36		USPAT;	2004/09/24
		PLL or phase adj1 locked adj1 loop) with	US-PGPUB;	11:35
		chang\$3 with bias with frequency	EPO; JPO;	
			DERWENT	1 2224/22/24
<del>-</del>	8	chang\$3 with bias with accord\$3 with	USPAT;	2004/09/24
		frequency	US-PGPUB;	11:40
			EPO; JPO;	
			DERWENT	
-	2753	chang\$3 with bias with frequency	USPAT;	2004/09/24
<u> </u>			US-PGPUB;	11:40
			EPO; JPO;	
			DERWENT	
-	283	chang\$3 with bias with input with	USPAT;	2004/09/24
		frequency	US-PGPUB;	11:40
		<u> </u>	EPO; JPO;	
			DERWENT	
-	19	chang\$3 with bias with input adj	USPAT;	2004/09/24
		frequency	US-PGPUB;	11:44
			EPO; JPO;	
			DERWENT	
-	1	(DLL or delayed adj1 locked adj1 loop or	USPAT;	2004/09/24
		PLL or phase adj1 locked adj1 loop) and	US-PGPUB;	11:46
		constant adj1 current\$1 with bias adj1	EPO; JPO;	1
		generat\$3 with chang\$3 with bias with	DERWENT	
		frequency		
-	13		USPAT;	2004/09/24
		and chang\$3 with bias with frequency	US-PGPUB;	11:46
			EPO; JPO;	
			DERWENT	
-	13	frequency with chang\$3 with bias and DLL	USPAT;	2004/09/24
			US-PGPUB;	11:49
		:	EPO; JPO;	
			DERWENT	
_	8	"6411142"	USPAT;	2004/09/24
		V.11112	US-PGPUB;	11:50
			EPO; JPO;	-1.55
		<u> </u>	DERWENT	
	<u> </u>		DHYMENT	<u> </u>

-	164	(DLL or delayed adj1 locked adj1 loop or	USPAT;	2004/09/24
	İ	PLL) and chang\$3 with bias with frequency	US-PGPUB;	11:53
	1		EPO; JPO;	
	İ	:	DERWENT	
-	42797	frequency with (voltage or bias) with	USPAT;	2004/09/24
	1	convert\$3	US-PGPUB;	11:54
	i		EPO; JPO;	
i	1		DERWENT	
l _	0	frequency with (voltage or bias) with	USPAT;	2004/09/24
-	1			
i		convert\$3 with DLL with constant adj1	US-PGPUB;	11:55
	ļ	current	EPO; JPO;	
		•	DERWENT	
-	251	frequency with (voltage or bias) with	USPAT;	2004/09/24
		convert\$3 with constant adj1 current	US-PGPUB;	11:55
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	l
		·	DERWENT	
_	18	frequency with (voltage or bias) with	USPAT;	2004/09/28
	1	convert\$3 with constant adj1 current and	US-PGPUB;	15:16
			· · · · · · · · · · · · · · · · · · ·	15.10
1		(DLL or delayed adj1 locked adj1 loop or	EPO; JPO;	
		PLL or phase adj1 locked adj1 loop)	DERWENT	0004/00/01
-	1	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/24
		convert\$3) with constant adj1 current and	US-PGPUB;	13:37
		(DLL or delayed adjl locked adjl loop or	EPO; JPO;	
		PLL or phase adj1 locked adj1 loop)	DERWENT	
_	20	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/24
	23	convert\$3) with constant adj1 current	US-PGPUB;	13:54
		Converted with constant ault current	i i	-5.53
		i '	EPO; JPO;	
		[ , , , , , , , , , , , , , , , , , , ,	DERWENT	
_	196	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/24
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	14:55
		!	EPO; JPO;	
ļ			DERWENT	[
_	23	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/24
	-	convert\$3) with (first with count\$3 with	US-PGPUB;	14:11
	1	frequency)	EPO; JPO;	
1		Trequency,		
	_	16	DERWENT	1 2004/00/28
1 -	1	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/28
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	14:48
		and (DLL or delayed adj1 locked adj1 loop	EPO; JPO;	
		or PLL or phase adj1 locked adj1 loop)	DERWENT	
		with current\$1		
-	8	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/29
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	09:09
		and (DLL or delayed adj1 locked adj1 loop	EPO; JPO;	
		or PLL or phase adj1 locked adj1 loop)	DERWENT	
	1			1 2004/00/24
-	11	"4438353"	USPAT;	2004/09/24
			US-PGPUB;	14:11
		1	EPO; JPO;	
			DERWENT	j i
_	2	"09289447"	USPAT;	2004/09/24
	_		US-PGPUB;	14:45
			EPO; JPO;	
		:	DERWENT	
	1.0	#507700C#	1	1 2004 /00 /24
_	13	"5977806"	USPAT;	2004/09/24
			US-PGPUB;	14:46
	1	1	EPO; JPO;	
			DERWENT	
_	3	(Mano with Ryuji) and (Yoshimura with	USPAT;	2004/09/24
		Tsutomu)	US-PGPUB;	14:48
		,	EPO; JPO;	
		:	DERWENT	
	22	Miyano with Kagutaka		2004/09/28
-	22	Miyano with Kazutaka	USPAT;	
			US-PGPUB;	16:10
		:	EPO; JPO;	
			DERWENT	Į
-	8	(Miyano with Kazutaka) and (DLL or	USPAT;	2004/09/24
		delayed adj1 locked adj1 loop)	US-PGPUB;	14:52
			EPO; JPO;	
			DERWENT	[
L			1 THI ( AA TIAT	1

		,		
-	7	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/28
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	14:36
		and (bias with control\$4)	EPO; JPO;	
ŀ			DERWENT	
-	356	constant adj1 current and (DLL or delayed	USPAT;	2004/09/28
		adj1 locked adj1 loop or PLL or phase	US-PGPUB;	16:20
		adj1 locked adj1 loop) and (bias with	EPO; JPO;	
		generat\$3)	DERWENT	
_	4	frequency with (voltage or bias) with	USPAT;	2004/09/28
		convert\$3 with constant adj1 current and	US-PGPUB;	15:18
		(DLL or delayed adj1 locked adj1 loop or	EPO; JPO;	
		PLL or phase adj1 locked adj1 loop) and	DERWENT	
	_	(bias with generat\$3)		0004/00/00
1 -	1	constant adj1 current and (DLL or delayed	USPAT;	2004/09/28
		adj1 locked adj1 loop or PLL or phase	US-PGPUB;	15:25
		adj1 locked adj1 loop) and (bias adj1	EPO; JPO;	
	1	generat\$3) with bias adj1 correct\$3	DERWENT	2004/00/20
<u> </u>	<u> </u>	constant adj1 current and (bias adj1	USPAT;	2004/09/28
		generat\$3) with bias adj1 correct\$3	US-PGPUB;	15:45
'			EPO; JPO;	
I _	66	constant adj1 current and (DLL or delayed	DERWENT USPAT;	2004/09/28
-	""	adj1 locked adj1 loop or PLL or phase	US-PGPUB;	15:26
		adji locked adji loop or FLL or phase adji locked adji loop) and (bias adji	EPO; JPO;	13.20
		adj1 locked adj1 loop) and (blas adj1	DERWENT	
_	ے ا	constant adj1 current and (DLL or delayed	USPAT;	2004/09/28
	·	adj1 locked adj1 loop or PLL or phase	US-PGPUB;	15:26
		adji locked adji loop of FLL of phase adji locked adji loop) and (bias adji	EPO; JPO;	13.20
		generat\$3) with (first and second)	DERWENT	
l _	11	constant adj1 current and (first adj1	USPAT;	2004/09/28
		bias adj1 generat\$3) and (second adj1	US-PGPUB;	15:55
		bias adj1 generat\$3)	EPO; JPO;	1
			DERWENT	
· <u>-</u>	2	(correct\$3 with constant adj1 current)	USPAT;	2004/09/28
		and (first adj1 bias adj1 generat\$3) and	US-PGPUB;	15:56
		(second adj1 bias adj1 generat\$3)	EPO; JPO;	
			DERWENT	
_	11	correct\$3 with constant adj1 current and	USPAT;	2004/09/28
		(DLL or delayed adj1 locked adj1 loop or	US-PGPUB;	16:05
		PLL or phase adj1 locked adj1 loop) and	EPO; JPO;	
		(bias with generat\$3)	DERWENT	
-	7	"6043718"	USPAT;	2004/09/28
	1	,	US-PGPUB;	16:05
			EPO; JPO;	
			DERWENT	0004/00/00
-	12		USPAT;	2004/09/28
		PLL or phase adj1 locked adj1 loop) and	US-PGPUB;	16:09
		chang\$3 with bias with frequency with	EPO; JPO;	
	11	constant with current\$1	DERWENT	2004/00/20
-	11	"4438353"	USPAT;	2004/09/29
			US-PGPUB;	07:45
		,	EPO; JPO;	
I _	2	"09514273"	DERWENT USPAT;	2004/09/29
		00011270	US-PGPUB;	07:45
			EPO; JPO;	07.30
]		<u> </u>	DERWENT	
_	1	   (predeterm\$3 with constant adj1 current)	USPAT;	2004/09/29
		with (bias with generat\$3)	US-PGPUB;	08:39
		, (with mining golding and golding	EPO; JPO;	
			DERWENT	
-	1	(DLL or delayed adj1 locked adj1 loop)	USPAT;	2004/09/29
	]	with constant adj1 current\$1 with	US-PGPUB;	08:40
		predetermin\$3	EPO; JPO;	
		<del>-</del>	DERWENT	
-	1	(DLL or delayed adj1 locked adj1 loop)	USPAT;	2004/09/29
		with constant adj1 current\$1 with	US-PGPUB;	08:40
		predetermin\$5	EPO; JPO;	
			DERWENT	

		:		
_	0	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/29
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	09:10
		and (DLL or delayed adj1 locked adj1 loop	EPO; JPO;	
		or PLL or phase adj1 locked adj1 loop)	DERWENT	
		with constant adj1 current		
l _	l 0	(frequency adj1 (voltage or bias) adj1	USPAT;	2004/09/29
		convert\$3) with (count\$3 with frequency)	US-PGPUB;	09:10
		and (DLL or delayed adj1 locked adj1 loop	EPO; JPO;	03.10
		or PLL or phase adj1 locked adj1 loop)	DERWENT	
i			DERWENT	
	F 1 1	and constant adj1 current	**************************************	2004/00/20
-	511		USPAT;	2004/09/29
1		or off)) or interrupt\$4) with count\$3	US-PGPUB;	11:57
	İ	with (stop\$4 and start\$3)	EPO; JPO;	
			DERWENT	
-	2	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/09/29
		or off)) or interrupt\$4) with count\$3	US-PGPUB;	11:27
		with (stop\$4 and start\$3) with (DLL or	EPO; JPO;	
		delay\$3 adj1 locked adj1 loop or PLL or	DERWENT	
1		phase adj1 locked adj1 loop)		
_	2	"7154285"	USPAT;	2004/09/29
	_		US-PGPUB;	11:26
			EPO; JPO;	
			DERWENT	
_	5	control\$4 with (reset or (power with (on	USPAT;	2004/09/29
	1	or off)) or interrupt\$4 or switch\$3) with	US-PGPUB;	11:38
		count\$3 with (stop\$4 and start\$3) with	EPO; JPO;	11.50
	i			
		(DLL or delay\$3 adj1 locked adj1 loop or	DERWENT	
		PLL or phase adj1 locked adj1 loop)		0004/00/00
-	42	control\$4 with (reset or (power with (on	USPAT;	2004/09/29
		or off)) or interrupt\$4 or switch\$3) with	US-PGPUB;	11:54
		count\$3 with (stop\$4 and start\$3) and	EPO; JPO;	
		(DLL or delay\$3 adj1 locked adj1 loop or	DERWENT	
		PLL or phase adj1 locked adj1 loop)		
-	5	control\$4 adj1 circuit with (counting	USPAT;	2004/09/29
		adj1 control) with counting with	US-PGPUB;	11:56
		correct\$3	EPO; JPO;	1
			DERWENT	
_	17	control\$4 adj1 circuit with (counting	USPAT;	2004/09/29
		with control) with count\$3 with correct\$3	US-PGPUB;	11:57
		with (reset or (power with (on or off))	EPO; JPO;	
		or interrupt\$4)	DERWENT	
_	3		USPAT;	2004/09/29
		with control) with count\$3 with correct\$3	US-PGPUB;	12:00
		with (reset or (power with (on or off))	EPO; JPO;	
		or interrupt\$4 or switch\$3) and (DLL or	DERWENT	
-		1	DEVMENT	
		delay\$3 adj1 locked adj1 loop or PLL or		
		phase adj1 locked adj1 loop)	110000	2004/00/00
I -	44		USPAT;	2004/09/29
		with control) with count\$3 with correct\$3	US-PGPUB;	12:02
	1	with (reset or (power with (on or off))	EPO; JPO;	1
		or interrupt\$4 or switch\$3)	DERWENT	